

Q **NAP**[®] **8**

COPPER NAPHTHENATE CONCENTRATE

QNAP[®]8

COPPER NAPHTHENATE CONCENTRATE

Kills subterranean termites, drywood termites, wood destroying beetles, powderpost beetles, carpenter ants and decay fungi. • Contains No Synthetic Carboxylic Acids • Produced from 100% recycled Copper Metal and by-products from the refining industry • Non-Emulsion Forming • Non-Sludging • Non-Corrosive to Utility Hardware (Railroad Spikes and Tie Plates) • Non-Conductive • Can Help Prevent "Spike Kill" when Combined with Borate Treatments • Treated Wood Does Not Become Brittle or Hard • Reduces Hardening of the Wood Which Allows for Increased Gaff Penetration • Provides Water Repellency

Active ingredient:

Copper Naphthenate (CAS No. 1338-02-9) 68%*

Other ingredients..... 32%

Total..... 100%

Contains Petroleum Distillates

***Equivalent to 8% Copper.**

EPA Reg. No. 64405-16 Est. 64405-TN-1

**KEEP OUT OF REACH OF CHILDREN
WARNING**

First Aid

If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes.
If Swallowed:	<ul style="list-style-type: none"> • Do not give person any liquids. • Do not give anything by mouth to an unconscious person. • Do not induce vomiting unless told to do so by the poison control center or doctor.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
<p>Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>	
<p>NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

**PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
WARNING**

Causes skin and eye irritation. Prolonged or repeated skin contact may cause allergic reaction in some individuals. Harmful if swallowed or inhaled. Do not breathe vapors or mist during brush, roll, and dip applications. Do not get in eyes, on skin, or on clothing.

Wear chemical resistant gloves, protective eyewear, long-sleeved shirt, long pants, socks and shoes when handling or applying this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Application of this product may produce a strong, lingering, unpleasant odor.

Personal Protective Equipment (PPE)

- Applicators, mixers and other handlers must wear chemical resistant gloves, protective eyewear, long-sleeved shirt, long pants, socks and shoes when handling or applying this product..
- When applying this product with a brush/roller, applicant must wear an organic vapor respirator.

Some materials that are chemical-resistant to this product are barrier laminate; butyl, nitrile, neoprene and natural rubbers ≥ 14 mils; polyethylene; polyvinyl chloride; and viton ≥ 14 mils. If you want more options, follow the instructions for category C on an EPA chemical-resistance category selection chart.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Users must:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet;
- Remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing;
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is toxic to aquatic invertebrates, shrimp and oysters/clams. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state water board or regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTICE

Read and understand the entire label before using. Use only according to label directions.

Before buying or using this product, read **Warranty Disclaimer** and **Limitation of Remedies** statements found elsewhere on this label. If terms are unacceptable, return unopened package to seller for full refund of purchase price. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under the **Warranty Disclaimer** and **Limitation of Remedies**.

QNAP8 Copper Naphthenate Concentrate treated wood will control and prevent infestation of destroying organisms including subterranean termites, drywood termites, wood destroying beetles, powderpost beetles, carpenter ants and decay fungi. This product may also be used to resist warping, swelling, shrinking, end checking due to its antiwicking property which resists moisture absorption and movement from end to end, wood rot, mold and mildew, and moss.

Solutions of QNAP8 can be applied to wooden and cellulose utility and construction products (including lumber, end cuts, timber, rail ties, posts, poles, freeway fencing, siding, piers, docks, boxes, roofs, shakes, shingles, porches, steps, fences, rails and beverage cases). QNAP8-treated wood is suitable for ornamental or planting landscape timbers, wooden seedling trays, outdoor décor, flower boxes and window boxes. The treated wood can be burned or re-purposed after primary service as a railroad tie or utility pole for use in residential landscaping or as fence posts.

QNAP8 must be diluted with a solvent such as mineral spirits, diesel fuel, mineral oil or another solvent that meets American Wood Protection Association (AWPA) Standards. Effective application rates vary according to severity of conditions to which the treated product is exposed but for guidance see the American Wood Protection Book of Standards for the applicable use category or commodity.

Wood treated with QNAP8 must not be used where it will come in contact with food, feed or potable water. Do not use QNAP8 treated wood for garden applications where fruit and/or vegetables will be grown. Wood treated with this product shall not be used in the construction of beehives. When field treating, do so in a manner that the product does not drip into sensitive environments. Whenever possible, apply field treatments prior to assembling the structure over the body of water or sensitive environment.

APPLICATION PROCEDURES:

Agitate well before using. Wood must be thoroughly seasoned. Allow at least 1 hour between applications. Make certain all areas are fully treated to get the maximum benefits. If appropriate, see applicable AWPA treatment methods.

This product will tint the wood. The color will fade over time. If diluted with mineral spirits, the treated wood can be top-coated with paint or stain 24 hours after application. Always test the oil-based paint or stain in an inconspicuous area for color satisfaction.

DIP, ROLLER OR BRUSH

Above Ground Contact Applications: QNAP8 solutions containing 1% or 2% copper metal are adequate for wood in non-critical applications. Mix a 1:3 or 1:4 dilution of this product and solvent to obtain 2% copper metal or 1:7 to 1:8 dilution of solvent and QNAP8 to obtain a 1% copper metal solution. Do not apply with an airless sprayer, by fine mist or by spray. Coverage is dependent upon application method and the refractory nature of the wood being treated. One gallon of diluted QNAP8 will cover approximately 100-300 sq. ft. of surface area.

Ground Contact Applications: Treat with a solution containing 0.75% to 2.0% copper metal to a retention in the wood of 0.03 to 0.06 lbs copper metal/ft³ or in accordance with AWPA Standards. The application rate for wood treated with this product in a diptank shall not exceed 25% copper naphthenate..

END CUT TREATMENTS

To satisfy AWPA M4, apply a 1% or 2% dilution of QNAP8 to cuts, holes or injuries.

FOR PRESSURE TREATMENT

Treat with a solution containing 0.75% to 2.0% copper metal to a retention in the wood of 0.03 to 0.13 lbs copper metal/ ft³ or in accordance with AWPA Standards.

REMEDIAL APPLICATIONS

A QNAP8 solution of 2% copper metal may be used for remedial treatment of standing wood poles, piling and other existing structures.

STORAGE AND DISPOSAL

Containers up to 5 gallons

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a preferably locked storage area inaccessible to children and pets. Do not freeze. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container; do not reuse or refill this container. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with solvent and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times, then offer for recycling, if available; or reconditioning, if appropriate; or puncture and dispose of in a sanitary landfill; or by incineration.

STORAGE AND DISPOSAL

Containers more than 5 gallons

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry (preferably locked) storage area inaccessible to children and pets. Do not freeze. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Nonrefillable container; do not reuse or refill this container.

Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with solvent. Replace and retighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times, then offer for recycling, if available or reconditioning, if appropriate; or puncture and dispose of in a sanitary landfill or by incineration.

WARRANTY DISCLAIMER

To the extent not prohibited by applicable law, Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent not prohibited by applicable law, **MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

Inherent Risks of Use

The directions for use are believed to be adequate and must be carefully followed. It is impossible to eliminate all risks associated with use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, the presence of other materials, climatic conditions or the manner of application, all of which are beyond the control of the Manufacturer. To the extent not prohibited by applicable law, the buyer/user assumes all such risks.

Limitation of Remedies

To the extent not prohibited by applicable law the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability or other legal theories) shall be limited to, at Manufacturer's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

To the extent not prohibited by applicable law: a) Manufacturer shall not be liable for losses or damages resulting from handling or use of this product unless Manufacturer is promptly notified of such loss or damage in writing; and b) **TO THE EXTENT NOT PROHIBITED BY APPLICABLE LAW IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING WITHOUT LIMIT, HEALTH RELATED DAMAGES OR INJURIES.**

The terms of this **Warranty Disclaimer** and **Limitation of Remedies** cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this **Warranty Disclaimer** or **Limitation of Remedies** in any manner.

It is not intended that this product be used to practice any applicable patent, whether mentioned or not, without procurement of a license, if necessary, from the owner, following investigation by the user.



Nisus Corporation

100 Nisus Drive • Rockford, TN 37853 • 800-264-0870

QNAP and Nisus Corporation are registered trademarks of Nisus Corporation.

©2014 Nisus Corporation #QN8-SL-1117a-SAL070915

SAFETY DATA SHEET

QNAP[®]8

COPPER NAPHTHENATE CONCENTRATE

WITH DIESEL FUEL

Health Emergencies: INFOTRAC[®] (800) 535-5053

1. PRODUCT AND COMPANY INFORMATION

Product Identity: QNAP[®] 8 Copper Naphthenate Concentrate

Solvent: Diesel Fuel

Recommended use of the chemical and restrictions on use: Kills subterranean termites, wood destroying beetles, powderpost beetles, carpenter ants and decay fungi. Use only according to label directions. It is a violation of Federal law to use this product in a manner inconsistent to label directions.

Manufacturer: Nisus Corporation
100 Nisus Drive
Rockford, TN 37853

Telephone: Phone: (800) 264-0870
Fax: (865) 577-5825

Emergency Phone: 800-535-5053 (INFOTRAC)

SDS Date of Preparation: 08/01/16

2. HAZARDS IDENTIFICATION

GHS Classification:

Physical	Health	Environment
Flammable Liquid Category 4	Acute Category: 5 Carcinogenicity: Not Classified Germ Cell Mutagenicity: Not Classified	Aquatic Acute Category 1 Aquatic Chronic Category 1

GHS Label Elements:



Signal Word: Warning!

Statements of Hazard

H227 Combustible liquid.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P210 Keep away from flames and hot surfaces. – No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye and face protection.

P370 + P378 In case of fire: Use water fog, foam, dry chemical, or carbon dioxide for extinction.

P391 Collect spillage.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents and container in accordance with local and national regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	Amount
Copper naphthenate	1338-02-9	60-80%
Petroleum Distillates as diesel	68476-34-6	30-40%
Non-Hazardous Ingredient	Proprietary	1-5%

The exact formulation is being withheld as a trade secret.

4. FIRST AID MEASURES

Eye: Immediately flush victim's eyes with large quantities of water for at least 15-20 minutes, while holding the eyelids apart. Remove contact lenses if easy to do so. Continue rinsing. Get immediate medical attention.

Skin: Immediately wash skin thoroughly with soap and water for at least 15-20 minutes. Remove contaminated clothing. Get immediate medical attention. Launder clothing before re-use.

Ingestion: Do NOT induce vomiting. Rinse mouth. Do not give anything by mouth to an unconscious person. Get immediate medical attention.

Inhalation: Move victim to fresh air and keep at rest in a position that is comfortable. If breathing is difficult, administer oxygen or administer artificial respiration. Get immediate medical attention.

Most important Symptoms: May cause eye and skin irritation. Harmful if swallowed.

Indication of immediate medical attention/special treatment:

Immediate medical attention is required for eye contact, skin contact, inhalation, and ingestion. Call a poison center or doctor for further treatment advice. Have the product container or label with you when calling a poison center or doctor, or going for treatment. Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE FIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Use water fog, foam, dry chemical, or carbon dioxide. Cool fire exposed containers and structures with water.

Specific hazards arising from the chemical: A solid stream of water or foam directed into hot, burning liquids can cause frothing. Product will only burn after removing the majority of the water component. Burning may produce carbon monoxide, carbon dioxide, inorganic copper, and other flammable and toxic gases.

Special Protective Equipment and Precautions for Fire-Fighting Instructions: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing. Contain all runoff.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures: Evacuate spill area and keep unprotected personnel away. Wear appropriate protective clothing as described in Section 8. Avoid releases to the environment.

Methods and Materials for Containment and Cleaning Up: Dike and collect liquid or absorb with an inert absorbent and place in appropriate containers for disposal. Large spills should be removed using a vacuum truck. Wash spill area thoroughly. Prevent spill from entering sewers and watercourses. Report releases as required by local, state and federal authorities.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Prevent contact with the eyes, skin and clothing. Avoid breathing mists or aerosols. Wear protective clothing and equipment as described in Section 8. Applicators, mixer and other handlers must wear chemical resistant gloves, protective eyewear, long-sleeved shirt, long pants, socks and shoes when handling or applying this product. When applying this product to non-pressure treated wood, blend/spray operators and any individual that applies the product with a brush/roller must wear an organic vapor respirator. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Remove contaminated clothing immediately and wash before reuse. Remove PPE immediately after handling. Wash thoroughly after using and change into clean clothing. Keep containers closed when not in use.

Nonrefillable container. Do not reuse containers. Product residues in empty containers can be hazardous. Follow all SDS precautions when handling empty containers.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in a cool (between 40°F and 90°F), dry, well-ventilated area away from incompatible materials. Keep out of reach of children and pets. Do not store in direct sunlight. Keep containers tightly closed. Protect from physical damage. Store away from oxidizers. Keep in locked storage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

Copper Naphthenate	None Established
Diesel fuel	100 mg/m ³ TWA ACGIH TLV IFV (as total hydrocarbons)
Non-hazardous Ingredients	None Established

Engineering Controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Respiratory Protection: In operations where exposure levels are exceeded, a NIOSH approved respirator with methylamine or organic vapor cartridges with approved pesticide prefilter or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice. Refer to the product label for additional information.

Skin Protection: Wear impervious gloves such as heavy PVC or butyl-viton. Gloves may be decontaminated by washing with soap and water. If you want more options, follow the instructions for category C on the EPA chemical-resistance category selection chart.

Eye Protection: Wear safety goggles and faceshield where splashing is possible.

Other: Wear long-sleeve shirts, long pants, socks and shoes when using this product. Suitable washing facilities should be available in the work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Dark green liquid with a pungent petroleum odor.

Physical State: Liquid

Odor Threshold: Not established

Vapor Density: Not determined

Initial Boiling Point/Range: 149-366°C (300-690°F)

Solubility In Water: Insoluble

Vapor Pressure: Not determined

Relative Density: 0.99-1.03

Evaporation Rate: Not determined

Melting/Freezing Point: Not determined

pH: N/A

Percent Volatile: <30% by weight

Octanol/Water Coefficient: Not determined

Solubility: Soluble in hydrocarbon solvents

Decomposition Temperature: Not determined

Viscosity: Not determined

Flammability (solid, gas): N/A

Flashpoint: >140°F (>60°C) COC

Autoignition Temperature: None

Flammable Limits: LEL: Not determined

UEL: Not determined

10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: None known.

Incompatible Materials: Avoid strong oxidizing agents.

Hazardous Decomposition Products: When heated to decomposition emits carbon monoxide, carbon dioxide, and inorganic copper.

11. TOXICOLOGICAL INFORMATION

HEALTH HAZARDS:

Ingestion: May be harmful if swallowed. Ingestion of copper salts may produce vomiting, metallic taste, headache, cold sweats, shock, jaundice, swollen liver, kidney damage, CNS depression, and death

from CNS depression or liver or kidney failure. Whether such effects occur following copper naphthenate ingestion is unknown.

Inhalation: Inhalation of mists may cause irritation of the nose, throat and upper respiratory tract. Prolonged inhalation of vapors may cause central nervous system effects, dizziness, drowsiness, somnolence, convulsions, tremors, light-headedness, loss of consciousness, impairment of short-term memory, loss of coordination, personality changes, headache, fatigue, stupor, and coma.

Eye: May cause irritation with redness and tearing.

Skin: May cause skin irritation with redness and pain.

Chronic: May cause damage to the blood, kidneys, nervous system, and peripheral nervous system. Prolonged skin contact may cause defatting, drying, skin ulcers, or pruritic eczema. Prolonged inhalation can affect behavior and central nervous system as described under inhalation.

Sensitization: This material is not known to cause sensitization.

Carcinogenicity: None of the components is listed as a carcinogen or suspected carcinogen by IARC, NTP or OSHA.

Germ Cell Mutagenicity: Not expected to cause germ cell mutagenicity.

Reproductive Toxicity: Not expected to cause reproductive toxicity.

Numerical Measures of Toxicity:

Product Toxicity Data:

Oral rat LD₅₀: >2000 mg/kg

Component Toxicity Data:

Mineral Oil: Oral rat LD₅₀: >2000 mg/kg; Dermal rabbit: LD₅₀ >2000 mg/kg

Copper Naphthenate: Oral rat LD₅₀: 2000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity:

This product is classified as very toxic to the aquatic environment with long-lasting effects. Releases to the environment should be avoided.

This product is toxic to algae. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state water board or regional office of the EPA. Wood treated with this product shall not be used in the construction of beehives.

Persistence and Degradability: No data available. Product is expected to be persistent in the aquatic environment.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse Effects: No data available.

13. DISPOSAL CONSIDERATION

Dispose in accordance with local, state and federal environmental regulations. The materials resulting from clean-up operations of a spill may be hazardous and, therefore, subject to specific regulations. Package, store, transport and dispose of all clean-up materials and any contaminated equipment in accordance with all applicable federal, state, and local regulations. Shipments of waste materials may be subject to manifesting requirements per applicable regulations. Appropriate disposal will depend on the nature of the waste and should be performed by competent and properly permitted contractors. Ensure that all responsible federal, state and local agencies receive proper notification of spill and disposal methods. Spills or releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

14. TRANSPORTATION INFORMATION

DOT Hazardous Materials Description:

NOT REGULATED IN CONTAINERS CONTAINING <119 GAL

UN Number: NA1993

Proper Shipping Name: Combustible liquid, n.o.s. (copper naphthenate, diesel fuel), Marine pollutant

Hazard Class/Packing Group: Combustible liquid, III

Labels Required: Combustible liquid, Environmentally hazardous

IATA/IMDG Hazardous Materials Description:

UN Number: UN3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (copper naphthenate), Marine Pollutant
Hazard Class/Packing Group: 9, III
Labels Required: Environmentally hazardous

15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

FIFRA Labeling:

QNAP8 Copper Naphthenate Concentrate
EPA Reg. No. 64405-16

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING

Causes skin and eye irritation. Prolonged or repeated skin contact may cause allergic reaction in some individuals. Harmful if swallowed or inhaled. Do not breathe vapors or mist during brush, roll, and dip applications. Do not get in eyes, on skin, or on clothing.

CERCLA: This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements. Report all spills in accordance with local, state, and federal regulations.

SARA Hazard Category (311/312): Acute Health

SARA 313: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): Copper Compounds 60-80%

EPA TSCA Inventory: This product is regulated under FIFRA, thus exempt.

16. OTHER INFORMATION

NFPA Rating:

Health = 2 Flammability = 2 Instability = 0

HMIS Rating:

Health = 2 Flammability = 2 Physical Hazard = 0

SDS Revision History: 07/07/14: New SDS
08/01/16: Revised

WARRANTY DISCLAIMER

The information, data and recommendations contained herein are believed to be accurate but may not be all inclusive and should only be used as a guide. The information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the product for his particular use and on condition that they assume the risk of the use thereof. With respect to this publication and the product related thereto, unless otherwise expressly provided by Manufacturer in writing, **MANUFACTURER MAKES NO EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

Remedy/Liability Limits

The exclusive remedy for losses or damages resulting from this publication or the related product (including claims based on contract, negligence, strict liability or other legal theories) shall be limited to, at Manufacturer's sole election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Manufacturer shall not be liable for losses or damages resulting from use of this publication or handling or use of this product. **IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING WITHOUT LIMIT, HEALTH RELATED DAMAGES OR INJURIES.**

The terms of this **Warranty Disclaimer** and **Remedy/Liability Limits** cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this **Warranty Disclaimer** or **Limitation of Remedies** in any manner.



100 Nisus Drive • Rockford, TN 37853 USA • (800) 264-0870

QNAP and Nisus Corporation are registered trademarks of Nisus Corporation. ©2016 Nisus Corporation • #Q8DF-SDS-080116a