

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or inhaled. Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing dust. Thoroughly wash with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are barrier laminate; butyl, nitrile, neoprene and natural rubbers ≥ 14 mils; polyethylene; polyvinyl chloride; and viton ≥ 14 mils.

Applicators, mixers and other handlers must wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and protective eyewear. When applying this product in confined spaces, provide ventilation or an exhaust system; or use a NIOSH-approved dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) with a prefilter approved for pesticides (MSHA/NIOSH approval prefix TC-23C); or use a canister approved for pesticides (MSHA/NIOSH approval prefix TC-14G) or a NIOSH-approved respirator with any N, R, P or HE prefilter.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet;
- Remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing;
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

Wood treatment facilities must take steps to prevent runoff of the product into the waterway. Treated material stored outdoors within 100 feet of a pond, lake, stream or river must be covered, surrounded by a containment berm or otherwise protected to prevent surface water runoff. The containment berm must be of sufficient height to prevent runoff during heavy rainfall events.

This pesticide is toxic to fish and wildlife. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State water board or regional office of the EPA.

NOTICE

Read and understand the entire label before using. Use only according to label directions.

Before buying or using this product, read the **Warranty Disclaimer** and **Limitation of Remedies** statements found elsewhere on this label. If terms are unacceptable, return unopened package to seller for full refund of purchase price. Otherwise, use by buyer or any other user constitutes acceptance of the terms under the **Warranty Disclaimer** and **Limitation of Remedies**.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use of this product for the control of bed bugs is prohibited.

Applications to carpets are prohibited.

Product not for use on trees being grown for sale or other commercial use, or for commercial seed production, or for the production of timber or wood products, or for research purposes.

For applications to tree stumps, do not apply dust directly to stumps; instead mix dust and water and then spray onto the stumps.

Wood Treatment Product Information

Cellu-Treat DOT Wood Preservative is a water soluble, inorganic borate salt with insecticidal and fungicidal properties that may be used on wood and wood-foam composite structural components and applied as a liquid solution. Cellu-Treat may be used as a preventative treatment (before signs of infestation) and for remedial treatment of infested wood. This product may also be used for pretreatment of wood before or during the construction process.

Cellu-Treat kills, prevents and controls wood destroying insects and fungi such as, but not limited to, the following organisms:

Subterranean Termites (*Reticulitermes*, *Heterotermes*, *Coptotermes* (Formosan)), **Drywood Termites** (*Kaloterms*, *Incisitermes*), **Dampwood Termites** (*Zootermopsis*), **Powderpost Beetles** (Lyctinae, Bostrichidae), **Deathwatch and Furniture Beetles** (Anobiidae), **Old House Borers**, **Longhorned Beetles** (Cerambycidae), **Carpenter Ants** (*Camponotus*), **Bark and Timber Beetles** (Scolytidae) and **Decay Fungi** including white rot, brown rot (i.e., *Poria*) and wet rots.

Cellu-Treat is recommended for wood and cellulose materials in accordance with the specific treatment methods described herein and is effective for all interior and exterior wood (and wood-foam composite structural components) that will be protected from excessive rain and not in direct contact with the soil. Types of treatable materials include, but are not limited to, decks, fences, steps, sheds, barns and other outbuildings, ties, wool insulation, stumps, utility poles, timber, lumber, logs and plywood. Some etching of treated wood may occur from organisms before they die. Do not apply Cellu-Treat to wood or cellulose material that has been painted, varnished or sealed. For best results, apply Cellu-Treat to bare wood. Use soap and water to clean application equipment.

Note: Spraying water on some wood species can mobilize natural wood extractives, raise the grain and leave behind calcium or other deposits. Prior to treating large areas, treat a small area with Cellu-Treat solution to ensure that you are satisfied with the final aesthetics.

CELLU-TREAT®

DOT WOOD PRESERVATIVE

A wood preservative for protection and treatment of lumber, including railroad ties, against fungal decay and wood destroying insects including termites

For the Control of Carpet Beetles, Clothes Moths, Mold and Rot in Wool Insulation

Active Ingredient:

Disodium Octaborate Tetrahydrate (CAS No. 12280-03-4)..... 98%

Other Ingredient* 2%

Total..... 100%

*Contains 2% H₂O - Absorbed Moisture

EPA Reg. No. 64405-8 EPA Est. 1624-CA-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for First Aid and additional Precautionary Statements and complete Directions for Use



NISUS®
CORPORATION

100 Nisus Drive • Rockford, TN 37853 • 800-264-0870

MADE IN THE U.S.A.

Cellu-Treat and Nisus Corporation are registered trademarks of Nisus Corporation.
©2020 Nisus Corporation #CT-USB-SSMulti-0620-SAL052119

**Net Weight 1850 lbs.
(839.15 kilos)**

**Net Weight 2000 lbs.
(907.18 kilos)**

**Net Weight 1102 lbs.
(500 kilos)**



Preparation of Treatment Solutions

10% Liquid Solution: To prepare solution, add approximately 80% of the required volume of water to the mixing vessel. While stirring, gradually add 1.0 pound of Cellu-Treat for each gallon of treating solution required. Add remaining water to the solution and stir until the entire product has dissolved.

15% Liquid Solution: Prepare solution as above, but gradually add 1.5 pounds of Cellu-Treat for each gallon of treatment solution needed. Use this solution as soon as possible and do not store for an extended length of time.

Wash and rinse all equipment after each use.

Product Application Instructions

Liquid Application: Use a liquid solution to control wood destroying organisms and to kill active infestations of termites, powderpost beetles and wood decay fungi. Application may also be made by drilling and then injecting the solution under pressure into sound wood or into the insect galleries of infested wood.

For remedial control of wood attacking organisms or for the protection of wood against future infestations, either two applications of a 10% liquid solution or one application of a 15% liquid solution are required.

Apply Cellu-Treat solutions by brush or spray at the rate of 5 gallons of liquid solution per 1000 square feet of wood surface area. Thoroughly wet wood surface area. Application may also be made by drilling and then injecting the liquid solution under pressure into sound wood or until run-off is observed coming from entry/exit holes of infested wood.

Protect newly treated wood from excessive rain or moisture.

Dip-Diffusion Treatment

Preparation of Solutions: To prepare solutions described below, add water to the tank. Raise water temperature if desired and, with good agitation, gradually add the calculated amount of Cellu-Treat. Add any remaining water to the solution and agitate for an additional 10 minutes to ensure that all of the product has dissolved. In very cold weather, provide some heating or insulation to prevent solidification or freezing in the bottom of the tank. Cover the tank when not in use to prevent contamination and evaporation.

Dip-Diffusion Method of Application: Dip freshly-cut lumber in a tank containing a liquid solution of Cellu-Treat for 2 to 5 minutes. After dipping, protect newly treated wood to prevent wash-off by rainfall. Diffusion of the wood preservative into the interior of the wood will start immediately and will require several weeks to thoroughly penetrate the lumber, depending on the species and thickness of wood. The dip-diffusion method of treatment can result in complete penetration throughout the cross-sectional area of treated lumber. The dip-diffusion of lumber should result in a retention of 0.25 lb./ft³ (4.0 kg/m³).

Suggested Conditions and Solution Strengths for Dip-Diffusion		
Timber/Lumber Thickness	Pounds of Cellu-Treat per Gallon of Solution	Diffusion Complete In
Up to 1 inch (2.5 cm)	1.40	2 to 4 weeks
1 to 1.75 inches (2.5 to 4.0 cm)	1.80	4 to 6 weeks
1.75 to 2.5 inches (4.0 to 6.5 cm)	2.50	4 to 6 weeks
2.5 to 3 inches (6.5 to 7.5 cm)	2.80	6 to 8 weeks

Pressure Treatment

Pressure treatment of wood should result in a retention of 0.25 lb./ft³ to 0.4 lb./ft³ (4.0 kg/m³ to 6.7 kg/m³) Cellu-Treat in the assay zone specified in American Wood Preservers Association (AWPA) Standard U1-16 for waterborne preservatives. The concentration of the solution must be adjusted to give the correct retention for wood species and size being treated; in general, solutions are in the range of 1-10% (0.1-2.0 lb./gal.).

Cut clean wood to dimension and sticker before treating. If several species are being treated at once, choose the treatment schedule for the most difficult to treat species. If both sapwood and heartwood are included, use the schedule for heartwood to ensure adequate loading.

For Wool Insulation and Woolen Carpets/Materials Treatment Against Clothes Moths, Carpet Beetles and Fungi (Mold and Rot)

Use a 5% to 10% active solution (1/2 to 1 pound Cellu-Treat per gallon of water) in the final rinsing bowl of scouring and treat wet wool by immersion prior to drying and carding. Alternatively, Cellu-Treat may be applied by spray to dry wool products. Heated water improves wool fiber penetration. In both cases the minimum target retention on a dry weight basis is 1% to 5% boron to control fungi and insect infestation (beetles and moths).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Non-refillable container; do not reuse or refill this container. Completely empty container by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment; then offer for recycling, if available; or dispose of in a sanitary landfill; or, if allowed by state and local authorities, by incineration. Lot number located on container or label.

WARRANTY DISCLAIMER

To the extent not prohibited by applicable law, Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent not prohibited by applicable law, **MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

Inherent Risks of Use

The directions for use of this product are believed to be adequate and must be carefully followed. It is impossible to eliminate all risks associated with use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, the presence of other materials, climatic conditions or the manner of use/application, all of which are beyond the control of the Manufacturer. To the extent not prohibited by applicable law, the buyer/user assumes all such risks.

Limitation of Remedies

To the extent not prohibited by applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability or other legal theories) shall be limited to, at Manufacturer's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

To the extent not prohibited by applicable law: a) Manufacturer shall not be liable for losses or damages resulting from handling or use of this product unless Manufacturer is promptly notified of such loss or damage in writing; and b) **TO THE EXTENT NOT PROHIBITED BY APPLICABLE LAW, IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING WITHOUT LIMIT, HEALTH RELATED DAMAGES OR INJURIES.**

The terms of this **Warranty Disclaimer** and **Limitation of Remedies** cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this **Warranty Disclaimer** or **Limitation of Remedies** in any manner.

It is not intended that this product be used to practice any applicable patent, whether mentioned or not, without procurement of a license, if necessary, from the owner, following investigation by the user.

CELLU-TREAT[®]

DOT WOOD PRESERVATIVE

A wood preservative for protection and treatment of lumber, including railroad ties, against fungal decay and wood destroying insects including termites

For the Control of Carpet Beetles, Clothes Moths, Mold and Rot in Wool Insulation

Net Weight 25 lbs. (11.34 kilos)

MADE IN THE U.S.A.



FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or inhaled. Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing dust. Thoroughly wash with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are barrier laminate; butyl, nitrile, neoprene and natural rubbers ≥ 14 mils; polyethylene; polyvinyl chloride; and viton ≥ 14 mils.

Applicators, mixers and other handlers must wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and protective eyewear. When applying this product in confined spaces, provide ventilation or an exhaust system; or use a NIOSH-approved dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) with a prefilter approved for pesticides (MSHA/NIOSH approval prefix TC-23C); or use a canister approved for pesticides (MSHA/NIOSH approval prefix TC-14G) or a NIOSH-approved respirator with any N, R, P or HE prefilter.

Active Ingredient:

Disodium Octaborate Tetrahydrate
 (CAS No. 12280-03-4)..... 98%

Other Ingredient* 2%

Total 100%

*Contains 2% H₂O - Absorbed Moisture

EPA Reg. No. 64405-8 EPA Est. 64405-TN-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side panel for First Aid, additional Precautionary Statements and complete Directions for Use.



NISUS[®]
 CORPORATION

100 Nisus Drive
 Rockford, TN 37853
 800-264-0870

User Safety Requirements
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations
Users should: <ul style="list-style-type: none"> • Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet; • Remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing; • Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

Wood treatment facilities must take steps to prevent runoff of the product into the waterway. Treated material stored outdoors within 100 feet of a pond, lake, stream or river must be covered, surrounded by a containment berm or otherwise protected to prevent surface water runoff. The containment berm must be of sufficient height to prevent runoff during heavy rainfall events.

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

NOTICE

Read and understand the entire label before using. Use only according to label directions.

Before buying or using this product, read the **Warranty Disclaimer** and **Limitation of Remedies** statements found elsewhere on this label. If terms are unacceptable, return unopened package to seller for full refund of purchase price. Otherwise, use by buyer or any other user constitutes acceptance of the terms under the **Warranty Disclaimer** and **Limitation of Remedies**.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use of this product for the control of bed bugs is prohibited.

Applications to carpets are prohibited.

Product not for use on trees being grown for sale or other commercial use, or for commercial seed production, or for the production of timber or wood products, or for research purposes.

For applications to tree stumps, do not apply dust directly to stumps; instead mix dust and water and then spray onto the stumps.

Wood Treatment Product Information

Cellu-Treat DOT Wood Preservative is a water soluble, inorganic borate salt with insecticidal and fungicidal properties that may be used on wood and wood-foam composite structural components and applied as a liquid solution. Cellu-Treat may be used as a preventative treatment (before signs of infestation) and for remedial treatment of infested wood. This product may also be used for pretreatment of wood before or during the construction process.

Cellu-Treat kills, prevents and controls wood destroying insects and fungi such as, but not limited to, the following organisms:

Subterranean Termites (*Reticulitermes*, *Heterotermes*, *Coptotermes* (Formosan)), **Drywood Termites** (*Kaloterмес*, *Incisitermes*), **Dampwood Termites** (*Zootermopsis*), **Powderpost Beetles** (Lyctinae, Bostrichidae), **Death-watch and Furniture Beetles** (Anobiidae), **Old House Borers, Longhorned Beetles** (Cerambycidae), **Carpenter Ants** (*Camponotus*), **Bark and Timber Beetles** (Scolytidae) and **Decay Fungi** including white rot, brown rot (i.e., *Poria*) and wet rots.

Cellu-Treat is recommended for wood and cellulose materials in accordance with the specific treatment methods described herein and is effective for all interior and exterior wood (and wood-foam composite structural components) that will be protected from excessive rain and not in direct contact with the soil. Types of treatable materials include, but are not limited to, decks, fences, steps, sheds, barns and other outbuildings, ties, wool insulation, stumps, utility poles, timber, lumber, logs and plywood. Some etching of treated wood may occur from organisms before they die. Do not apply Cellu-Treat to wood or cellulose material that has been painted, varnished or sealed. For best results, apply Cellu-Treat to bare wood. Use soap and water to clean application equipment.

Note: Spraying water on some wood species can mobilize natural wood extractives, raise the grain and leave behind calcium or other deposits. Prior to treating large areas, treat a small area with Cellu-Treat solution to ensure that you are satisfied with the final aesthetics.

Preparation of Treatment Solutions

10% Liquid Solution: To prepare solution, add approximately 80% of the required volume of water to the mixing vessel. While stirring, gradually add 1.0 pound of Cellu-Treat for each gallon of treating solution required. Add remaining water to the solution and stir until the entire product has dissolved.

15% Liquid Solution: Prepare solution as above, but gradually add 1.5 pounds of Cellu-Treat for each gallon of treatment solution needed. Use this solution as soon as possible and do not store for an extended length of time.

Wash and rinse all equipment after each use.

Product Application Instructions

Liquid Application: Use a liquid solution to control wood destroying organisms and to kill active infestations of termites, powderpost beetles and wood decay fungi. Application may also be made by drilling and then injecting the solution under pressure into sound wood or into the insect galleries of infested wood.

For remedial control of wood attacking organisms or for the protection of wood against future infestations, either two applications of a 10% liquid solution or one application of a 15% liquid solution are required.

Apply Cellu-Treat solutions by brush or spray at the rate of 5 gallons of liquid solution per 1000 square feet of wood surface area. Thoroughly wet wood surface area. Application may also be made by drilling and then injecting the liquid solution under pressure into sound wood or until run-off is observed coming from entry/exit holes of infested wood.

Protect newly treated wood from excessive rain or moisture.

Dip-Diffusion Treatment

Preparation of Solutions: To prepare solutions described below, add water to the tank. Raise water temperature if desired and, with good agitation, gradually add the calculated amount of Cellu-Treat. Add any remaining water to the solution and agitate for an additional 10 minutes to ensure that all of the product has dissolved. In very cold weather, provide some heating or insulation to prevent solidification or freezing in the bottom of the tank. Cover the tank when not in use to prevent contamination and evaporation.

Dip-Diffusion Method of Application: Dip freshly-cut lumber in a tank containing a liquid solution of Cellu-Treat for 2 to 5 minutes. After dipping, protect newly treated wood to prevent wash-off by rainfall. Diffusion of the wood preservative into the interior of the wood will start immediately and will require several weeks to thoroughly penetrate the lumber, depending on the species and thickness of wood. The dip-diffusion method of treatment can result in complete penetration throughout the cross-sectional area of treated lumber. The dip-diffusion of lumber should result in a retention of 0.25 lb/ft³ (4.0 kg/m³).

Suggested Conditions and Solution Strengths for Dip-Diffusion

Timber/Lumber Thickness	Pounds of Cellu-Treat per Gallon of Solution	Diffusion Complete In
Up to 1 inch (2.5 cm)	1.40	2 to 4 weeks
1 to 1.75 inches (2.5 to 4.0 cm)	1.80	4 to 6 weeks
1.75 to 2.5 inches (4.0 to 6.5 cm)	2.50	4 to 6 weeks
2.5 to 3 inches (6.5 to 7.5 cm)	2.80	6 to 8 weeks

Pressure Treatment

Pressure treatment of wood should result in a retention of 0.25 lb./ft.³ to 0.4 lb/ft³ (4.0 kg/m³ to 6.7 kg/m³) Cellu-Treat in the assay zone specified in American Wood Preservers Association (AWPA) Standard U1-16 for waterborne preservatives. The concentration of the solution must be adjusted to give the correct retention for wood species and size being treated; in general, solutions are in the range of 1–10% (0.1–2.0 lb./gal.).

Cut clean wood to dimension and sticker before treating. If several species are being treated at once, choose the treatment schedule for the most difficult to treat species. If both sapwood and heartwood are included, use the schedule for heartwood to ensure adequate loading.

For Wool Insulation and Woolen Carpets/Materials Treatment Against Clothes Moths, Carpet Beetles and Fungi (Mold and Rot)

Use a 5% to 10% active solution (1/2 to 1 pound Cellu-Treat per gallon of water) in the final rinsing bowl of scouring and treat wet wool by immersion prior to drying and carding. Alternatively, Cellu-Treat may be applied by spray to dry wool products. Heated water improves wool fiber penetration. In both cases the minimum target retention on a dry weight basis is 1% to 5% boron to control fungi and insect infestation (beetles and moths).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Non-refillable container; do not reuse or refill this container. Completely empty container by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment; then offer for recycling, if available; or dispose of in a sanitary landfill; or, if allowed by state and local authorities, by incineration.

Lot number located on container or label.

WARRANTY DISCLAIMER

To the extent not prohibited by applicable law, Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent not prohibited by applicable law, **MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

Inherent Risks of Use

The directions for use of this product are believed to be adequate and must be carefully followed. It is impossible to eliminate all risks associated with use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, the presence of other materials, climatic conditions or the manner of use/application, all of which are beyond the control of the Manufacturer. To the extent not prohibited by applicable law, the buyer/user assumes all such risks.

Limitation of Remedies

To the extent not prohibited by applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability or other legal theories) shall be limited to, at Manufacturer's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

To the extent not prohibited by applicable law: a) Manufacturer shall not be liable for losses or damages resulting from handling or use of this product unless Manufacturer is promptly notified of such loss or damage in writing; and b) **TO THE EXTENT NOT PROHIBITED BY APPLICABLE LAW, IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING WITHOUT LIMIT, HEALTH RELATED DAMAGES OR INJURIES.**

The terms of this *Warranty Disclaimer* and *Limitation of Remedies* cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this *Warranty Disclaimer* or *Limitation of Remedies* in any manner.

It is not intended that this product be used to practice any applicable patent, whether mentioned or not, without procurement of a license, if necessary, from the owner, following investigation by the user.