

QNAP® 8 Copper Naphthenate Concentrate with Mineral Spirits Safety Data Sheet

Issue Date: 03-Jun-2021 Revision Date: 05-May-2022 Version 2

1. IDENTIFICATION

Product identifier

Product Name QNAP8 Copper Naphthenate Concentrate with Mineral Spirits

Other means of identification

SDS # NIS-QNAP8MS

Registration Number(s) EPA Reg. No. 64405-16

UN/ID No UN1993

Recommended use of the chemical and restrictions on use

Recommended Use Wood preservative.

Details of the supplier of the safety data sheet

Manufacturer Address

Nisus Corporation 100 Nisus Drive Rockford. TN 37853

Emergency telephone number

Company Phone Number Phone: (800)-264-0870

Fax: (865) 577-5825

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

<u>Emergency Overview</u> This chemical is a product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-EPA registered chemicals. Please see Section 15 for additional EPA information.

Appearance Dark, green liquid Physical state Liquid Odor Pungent, petroleum distillate

Classification

Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 3

Signal Word

Danger

Hazard statements

Causes damage to organs through prolonged or repeated exposure May be fatal if swallowed and enters airways Flammable liquid and vapor

Revision Date: 05-May-2022





Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Use explosion-proof equipment

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Copper naphthenate	1338-02-9	60-80
Mineral Spirits	8052-41-3	20-32

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact Immediately flush victim's eyes with large quantities of water for at least 15-20 minutes,

while holding the eyelids apart. Remove contact lenses if easy to do so. Continue rinsing.

Get immediate medical attention.

Skin Contact Immediately wash skin thoroughly with soap and water for at least 15-20 minutes. Remove

contaminated clothing. Get immediate medical attention. Launder clothing before reuse.

Move victim to fresh air and keep at rest in a position that is comfortable. If breathing is difficult, administer oxygen or administer artificial respiration. Get immediate medical

Revision Date: 05-May-2022

attention.

Ingestion Do NOT induce vomiting. Rinse mouth. Do not give anything by mouth to an unconscious

person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms May be harmful if swallowed. May be harmful in contact with skin. Causes damage to organs

through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Inhalation

Use water fog, foam, dry chemical, or carbon dioxide. Cool fire exposed containers and structures with water.

Unsuitable Extinguishing Media A solid stream of water or foam directed into hot, burning liquid can cause frothing.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor.

Hazardous combustion products Burning may produce carbon monoxide, carbon dioxide, inorganic copper, and other flammable and toxic gases.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate spill area and keep unprotected personnel away. Wear appropriate protective

clothing as described in Section 8.

Environmental precautions

Environmental precautions Avoid release to the environment. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Dike and collect liquid or absorb with an inert absorbent and place in appropriate containers

for disposal. Large spills should be removed using a vacuum truck. Wash spill area thoroughly. Prevent spill from entering sewers and watercourses. Report releases as

required by local, state and federal authorities.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Prevent contact with the eyes, skin and clothing. Avoid breathing mists or aerosols. Wear protective clothing and equipment as described in Section 8. Applicators, mixer and other handlers must wear chemical resistant gloves, protective eyewear, long-sleeved shirt, long pants, socks and shoes when handling or applying this product. When applying this product to non-pressure treated wood, blend/spray operators and any individual that applies the product with a brush/roller must wear an organic vapor respirator. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Remove contaminated clothing immediately and wash before reuse. Remove PPE immediately after handling. Wash thoroughly after using and change into clean clothing. Keep containers closed whn not in use.

Revision Date: 05-May-2022

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool (between 40°F and 90°F), dry, well-ventilated area away from incompatible

materials. Keep out of reach of children and pets. Do not store in direct sunlight. Keep containers tightly closed. Protect from physical damage. Keep in locked storage.

Packaging Materials Nonrefillable container. Do not reuse containers. Product residues in empty containers can

be hazardous. Follow all SDS precautions when handling empty containers.

Incompatible Materials Oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Copper naphthenate	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and
1338-02-9			mist
			TWA: 1 mg/m ³ Cu dust and mist
Mineral Spirits	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m ³
8052-41-3		TWA: 2900 mg/m ³	Ceiling: 1800 mg/m ³ 15 min
		(vacated) TWA: 100 ppm	TWA: 350 mg/m ³
		(vacated) TWA: 525 mg/m ³	

Appropriate engineering controls

Engineering Controls

Use with adequate general or local exhaust ventilation to maintain exposure levels below the

occupational exposure limits. Suitable washing facilities should be available in the work

area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety goggles and face shield where splashing is possible.

Skin and Body Protection Wear impervious gloves such as butyl rubber, nitrile, neoprene, polyethylene, polyvinyl

chloride or Viton. Follow instructions for Category C on an EPA resistance category selection chart for more options. Wear long-sleeve shirts, long pants, socks and shoes when

using this product.

Respiratory Protection In operations where exposure levels are exceeded, a NIOSH approved respirator with

methylamine or organic vapor cartridges with approved pesticide prefilter or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and

good industrial hygiene practice. Refer to the product label for additionalinformation.

General Hygiene Handle in accordance with good industrial hygiene and safety practice.

Considerations

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceDark, green liquidOdorPungent, petroleum

distillate

Revision Date: 05-May-2022

Color Dark green Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH N/A

Melting point / freezing point

Boiling point / boiling range
Flash point

Evaporation Rate
Flammability (Solid, Gas)

Not determined

149 °C / 300.2 °F

>38 °C / >100.4 °F

Not determined

Liquid-Not applicable

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapor PressureNegligibleVapor DensityNot determinedRelative Density0.97-1.00

Water Solubility Insoluble in water

Solubility in other solvents Soluble in hydrocarbon solvents

Partition Coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic Viscosity
Explosive Properties
Not determined

Other information

VOC Content (%) <35%

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None known.

Conditions to Avoid

None known.

Incompatible materials

Oxidizers.

Hazardous decomposition products

When heated to decomposition emits carbon monoxide, carbon dioxide and inorganic copper.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact May cause irritation with redness and tearing.

Skin Contact May be harmful in contact with skin. May cause skin irritation with redness and pain.

Inhalation Inhalation of mists may cause irritation of vapors may cause central nervous system effects,

dizziness, drowsiness, somnolence, convulsions, tremors, light-headedness, loss of

Revision Date: 05-May-2022

consciousness, impairment of short-term memory, loss of coordination, personality changes,

headache, fatigue, stupor and coma.

Ingestion May be harmful if swallowed. Ingestion of copper salts may produce vomiting, metallic taste,

headache, cold sweats, shock, jaundice, swollen liver, kidney damage, CNS depression and death from CNS depression or liver or kidney failure. Whether such effects occur following

copper naphthenate ingestion is unknown.

Component Information

Not available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Copper naphthenate 1338-02-9	= 2 g/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Mineral Spirits 8052-41-3	-	> 3000 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization This material is not known to cause sensitization.

Germ cell mutagenicity Not expected to cause germ cell mutagenicity.

Carcinogenicity Chronic exposure to copper salts has produced lung and liver damage which sometimes

progressed to cancer.

Chemical name	ACGIH	IARC	NTP	OSHA
Copper naphthenate		Group 2A		X
1338-02-9		_		

Reproductive toxicityNot expected to cause reproductive toxicity.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Chronic toxicity May cause damage to the blood, kidneys, nervous system, and peripheral nervous system.

Prolonged skin contact may cause defatting, drying, skin ulcers, or pruritic eczema. Prolonged inhalation can affect behavior and central nervous system as described under

inhalation.

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity

Not available.

12. ECOLOGICAL INFORMATION

Revision Date: 05-May-2022

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Information

Not available

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Copper naphthenate 1338-02-9	Toxic

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated if shipped in NON BULK packaging (single containers less than 119 gal/ 882

lbs) by ground transport

BULK Packaging (single containers larger than 119 gal/ 882 lbs):

UN/ID No UN1993

Proper Shipping Name Flammable liquid, n.o.s. (Copper naphthenate, mineral spirits)

Hazard class 3
Packing Group III

Marine Pollutant This material ships as a marine pollutant when inner package/single container is greater

than 119 gallons. (Copper naphthenate).

IATA

UN number UN1993

Proper Shipping Name Flammable liquid, n.o.s. (Copper naphthenate, mineral spirits)

Transport hazard class(es) 3
Packing Group III

NIS-QNAP8MS - QNAP®8 Copper Naphthenate Concentrate with Mineral Spirits

Revision Date: 05-May-2022

IMDG

UN number UN1993

Proper Shipping Name Flammable liquid, n.o.s. (Copper naphthenate, mineral spirits)

Transport hazard class(es) 3
Packing Group III

Marine Pollutant Yes (Copper naphthenate)

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AICS
		Status		NCS					
Copper naphthenate	Χ	ACTIVE	X	X	X	X	Χ	X	X
Mineral Spirits	Х	ACTIVE	Χ	Х		Х	Χ	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

SARA 313

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Copper naphthenate - 1338-02-9	1338-02-9	60-80	1.0

CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper naphthenate		X		

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

Revision Date: 05-May-2022

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Copper naphthenate 1338-02-9	X		X
Mineral Spirits	X	X	X
8052-41-3			

EPA Pesticide Registration Number EPA Reg. No. 64405-16

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

Please refer to EPA label for additional information

Difference between SDS and EPA pesticide label

Please refer to EPA label for additional information

16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	1	2	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical hazards	Personal Protection
	1	2	0	Not determined

 Issue Date:
 03-Jun-2021

 Revision Date:
 05-May-2022

Revision Note: SDS sections updated

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



100 Nisus Drive • Rockford, TN 37853 USA • (800) 264-0870

QNAP and Nisus are registered trademarks of Nisus Corporation. @2022 Nisus Corporation • #Q8MS-SDS-05032022a