



NISUS CORPORATION
BORA-CARE® WARRANTY MANAGEMENT SYSTEM
Bora-Care Technician Exam Instructions

To become an authorized Bora-Care technician, you must pass the examination. To prepare for it, simply:

1. Read the [Bora-Care New Construction Technical Bulletin](#)
2. Read the [Bora-Care Specimen Label](#)
3. Watch the [training video](#)

Once you review these materials, enter your information below and take the test. Instructions on where to send this page along with your completed test for review are at the end.

Once you pass, you will be e-mailed a Bora-Care Authorized Technician Certificate. Technicians are required to refresh their training and take the test **every two years**. If you do not pass, you will be shown which answers are incorrect and will have the opportunity to re-take the exam.

Date

Technician's First Name

Last Name

Technician's Email Address

Pest Company Name

Pest Company Branch Address

Street

City

State

Zip

Exam starts on page 2.

Bora-Care Technician Exam

1. What is the active ingredient in Bora-Care?
 - Orthoboric Acid
 - Disodium Octaborate Tetrahydrate
 - Chlorpyrifos
 - Glycol
2. Bora-Care can be sprayed on plants and crops.
 - Yes
 - No
3. Bora-Care should be applied only to bare wood, plywood, particle board and other wood composite materials where an intact water repellent barrier such as paint, stain or a sealer is not present.
 - Yes
 - No
4. What solution ratio must be used when using Bora-Care as a pretreatment for subterranean termites?
 - 1 part water to 1 part Bora-Care
 - 2 parts water to 1 part Bora-Care
 - 1 part water to 5 parts Bora-Care
 - 5 parts water to 1 part Bora-Care
5. Bora-Care is labeled as a primary pretreatment for the control of subterranean termites.
 - Yes
 - No
6. Apply one gallon of Bora-Care (1:1) solution to point of wetness in a _____ wide, uninterrupted horizontal band to all wood surfaces in crawlspaces and basements, to include all sills, plates, floor joists, piers, girders and subfloors as well as wood exposed to vertical access from the soil (such as support piers)
 - 6-inch
 - 12-inch
 - 18-inch
 - 24-inch
7. According to label instructions, a structural pretreatment with Bora-Care is best performed when greatest access to all wood members is available.
 - True
 - False

8. Pretreatment to buildings on slabs requires applying a _____ Bora-Care solution to all base plates and the bottom 24 inches of all studs on all exterior and interior walls and slab penetrations.
- 5:1 (5 parts water to 1 part Bora-Care)
 - 2:1 (2 parts water to 1 part Bora-Care)
 - 3:1 (3 parts water to 1 part Bora-Care)
 - 1:1 (1 part water to 1 part Bora-Care)
9. On wood where access is limited to one or two sides of wood members such as sills and plates on foundation walls, apply two coats of Bora-Care solution, waiting at least 20 minutes between applications.
- True
 - False
10. Bora-Care is labeled to protect wood from the following wood destroying organism(s):
- Subterranean Termites
 - Drywood Termites
 - Powderpost Beetles
 - Wood Decay Fungus
 - All the above
11. Applicators of Bora-Care® must wear a long-sleeve shirt and long pants, socks, shoes, chemical resistant gloves and protective eyewear, plus a NIOSH-approved respirator is recommended in confined areas.
- True
 - False
12. Ongoing tests in Gulfport, MS have shown that Bora-Care has prevented treated wood from termite damage and tubing for over eight years.
- True
 - False
13. As a preventative treatment against subterranean termites, one gallon of Bora-Care (1:1) solution will treat _____ of a 24" horizontal barrier treatment out from sill plates in a crawlspace or basement.
- 200 square feet
 - 100 square feet
 - 300 square feet
 - 400 square feet
14. As a preventative treatment against subterranean termites, one gallon of Bora-Care (1:1) solution will treat _____ of a 24" barrier treatment on interior & exterior sill plates and studs in first floor slab construction.
- 200 square feet
 - 100 square feet
 - 300 square feet
 - 400 square feet

15. One gallon of Bora-Care (1:1) solution will treat 400 square feet of exterior wood sheathing.
- True
 - False
16. If other termite control products are used in conjunction with the Bora-Care pretreatment application, they must be listed on the Residential New Construction Registration Form.
- True
 - False
17. According to documentation on the Residential New Construction Registration Form, pretreatment applications of Bora-Care can be applied to wood in contact with what type of structure:
- Slab
 - Crawl
 - Basement
 - Combination
 - All the above
18. Lineal footage measurements of the structure must be listed on the Residential New Construction Registration Form.
- True
 - False
19. According to the Bora-Care New Construction Technical Bulletin, JECTA® may be injected into I-beams four or more inches thick at the point which they come into contact with crawlspace or basement foundations and support piers.
- True
 - False
20. Linear footage measurements of what areas must be listed for slab construction on the Residential New Construction Registration Form:
- Exterior Stud Walls
 - Interior Stud Walls
 - Exterior Wood Sheathing
 - All the above

E-MAIL YOUR COMPLETED TEST TO:

info@nisuscorp.com

SUBJECT: Attn: Bora-Care Warranty

